

FSPMA CERTIFIED CARPET LIST - JANUARY 14, 2010																																											
VENDOR	PRODUCT NAME/STYLE #	CERTIFIED	Pile Fiber	Dye Method	Fluorochemical (ppm)	Soil/Stain	Stain Resistance	Electrostatic (KV)	Colorfast/light (@ 60 AFU)	Width (ft. or cm.)	Gauge/Pitch	Density	Yarn Weight (oz/sq. yd.)	Stitches per inch	Backing Material (optional) trade name / composition	Roller Chair (optional) NT = Not Tested	Dynamic Impact (optional) NT = Not Tested	British Spill (optional) NT = Not Tested	Backing comp deflection (lbs.) (only applies to cushion)	Backing Density (lbs.) (only applies to cushion)	Backing Compression Set (only applies to cushion)	Aachen (dimensional stability) (only applies to modular tile)	Tuft Blind (lbs.)	Delamination (lbs./inch)	Antimicrobial treatment (Yes or No)	Hexapod Appearance Retention	Color Change	Fire Radiant (watts/sq. cm.)	Smoke Density Flaming	Smoke Density Non-Flaming	Flammability (Pill test)	Complies to FL Bldg Code	IAQ Green Label Plus (Yes or No)	Complies to ADA	Recyclable	Recycled/Reclaimed Fiber	Recycled/Reclaimed Backing	Renewable	Warranty--Delamination	Warranty--Zipping	Warranty--Edge Ravel	Warranty--Excessive Surface Wear	
PCBS: I Broadloom /unitary / enhanced unitary / non-cushion / non-action backed																																											
Designweave	Harmonics Z6317	08/19/05	Eco Solution Q	Solution	1,010	Design-weave SP	10	-1.10	5	12 ft.	1/10	8,539	26.80	8.00	UltraLoc Pattern	N/A	N/A	N/A	N/A	N/A	N/A	N/A	22.80	4.6	N	3.5	4.0	0.51	208	342	pass	y	y	y	N/A	25% post-ind	25% post-ind	N/A	Lifetime	Lifetime	Lifetime	Lifetime	
Designweave	Plug In Z6388	08/19/05	Eco Solution Q & Nylon	Solution & Yarn	400	Design-weave SP	10	-1.40	5	12 ft.	1/10	8,310	27.70	9.70	UltraLoc Pattern	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18.10	4.5	N	3.0	4.0	0.47	277	255	pass	y	y	y	N/A	N/A	N/A	N/A	Lifetime	Lifetime	Lifetime	Lifetime	
Designweave	Publicity Z6326	08/19/05	Eco Solution Q	Solution	1,812	Design-weave SP	10	-1.00	5	12 ft.	1/10	6,260	27.30	10.00	Unitary	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14.20	N/A	N	3.3	3.5	0.68	225	124	pass	y	y	y	N/A	25% post-ind	25% post-ind	N/A	Lifetime	Lifetime	Lifetime	Lifetime	
Designweave	Trapani II Z6370	08/19/05	Nylon	Sol QSD & Yarn	1,069	Design-weave SP	6	-1.60	5	12 ft.	1/8	11,229	26.20	8.00	UltraLoc Pattern	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19.60	6.1	N	3.5	3.5	0.49	231	306	pass	y	y	y	N/A	N/A	N/A	N/A	Lifetime	Lifetime	Lifetime	Lifetime	
Mohawk	Performer Concept	03/02/06	Antron Lumena	Solution	459	Duratech	10	-1.00	5	12 ft.	1/8	8,211	27.60	10.00	Performance System	N/A	N/A		N/A	N/A	N/A	N/A	20.60	none	N	3.0	4.0	0.54	117	238	pass	Y	Y	Y	N/A	N/A	N/A	N/A	Lifetime	Lifetime	Lifetime	Lifetime	
Mohawk	Stati-tuft III	03/02/06	Antron Legacy	Yarn	1,289	Duratech	10	1.60	5	12 ft.	1/8	7,560	27.30	8.00	Performance System	N/A	N/A		N/A	N/A	N/A	N/A	14.90	none	N	3.0	4-5	0.48	89	93	pass	Y	Y	Y	N/A	N/A	N/A	N/A	Lifetime	Lifetime	Lifetime	Lifetime	
Mohawk	Stati-tuft III Everset	03/02/06	Antron Legacy	Yarn	478	Duratech	10	-0.40	5	12 ft.	1/8	7,001	28.20	7.50	UPS Bloc	N/A	N/A		N/A	N/A	N/A	N/A	21.30	none	N	3.0	4	0.47	167	366	pass	Y	Y	Y	N/A	N/A	N/A	N/A	Lifetime	Lifetime	Lifetime	Lifetime	
Patcraft Commercial	Scholastic II 10121	05/11/06	Nylon 6	Solution	405	Patcraft SP	10	-2.00	5	12 ft.	1/10	6,797	28.10	10.60	Everbond EX	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13.60	5.7	N	3.5	5.0	0.66	164	124	pass	y	Y	y					Lifetime	Lifetime	Lifetime	Lifetime	
Patcraft Commercial	Socrates II 10069	05/19/05	Eco Solution Q	Solution	770	Patcraft SP	6	-2.60	5	12 ft.	1/8	6,781	29.20	8.00	Everbond EX	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18.50	4.8	N	3.0	3.0	0.60	199	115	pass	y	Y	y	N/A	N/A	N/A	N/A	Lifetime	Lifetime	Lifetime	Lifetime	
Patcraft Commercial	Homeroom II 10102	08/19/05	Patcraft SP	Solution	408	Eco Sol Q SDN	10	-1.40	5	12 ft.	1/8	7,355	28.40	8.40	Everbond EX	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17.30	6.4	N	3.5	4.0	0.76	237	182	pass	y	Y	y	N/A	25% post-ind	25% post-ind	N/A	Lifetime	Lifetime	Lifetime	Lifetime	
Patcraft Commercial	Just in Time 10097	08/19/05	Eco Solution Q	Solution	508	Patcraft SP	10	-2.10	5	12 ft.	1/8	7,726	27.90	10.00	Everbond EX	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11.90	5.6	N	3.0	2.5	0.55	126	327	pass	y	Y	y	N/A	25% post-ind	25% post-ind	N/A	Lifetime	Lifetime	Lifetime	Lifetime	
Patcraft Commercial	Study Hall 10028	05/19/05	Ultron VIP SD	Solution	1,105	Patcraft SP	10	-0.80	5	12 ft.	1/8	8,100	27.00	10.00	Everbond EX	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17.40	4.4	N	3.0	3-4	0.51	338	206	pass	y	Y	y	N/A	N/A	N/A	N/A	Lifetime	Lifetime	Lifetime	Lifetime	
Shaw Contract Group	Associate 60563	08/19/05	Eco Solution Q	Solution	411	SSP Shaw Soil Protect	10	-1.50	5	12ft	1/8	5,647	22.90	7.00	Teklok	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17.40	6.2	Y	3.0	3.5	0.65	67	181	pass	y	Y	Y	N	N	N	N	Lifetime Comme	Lifetime Comme	Lifetime Comme	Lifetime Comme	
Shaw Contract Group	Constellation 60550	08/19/05	Eco Solution Q	Solution & Yarn	473	SSP Shaw Soil Protect	10	-1.50	5	12ft	1/10	8,004	24.90	10.00	Teklok	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14.10	4.6	Y	3.5	3.5	0.52	175	299	pass	y	Y	Y	N	25% post-ind	N	N	N	Lifetime Comme	Lifetime Comme	Lifetime Comme	Lifetime Comme
Shaw Contract Group	Field Trip 60497	12/30/04	Eco Solution Q	Solution & Space	511	SSP Shaw Soil Protect	9	-1.50	5	12ft	1/8	7,758	27.80	8.00	Teklok	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11.80	5.2	Y	3.3	3.5	0.47	192	344	pass	y	Y	Y	N	25% post-ind	N	N	N	Lifetime Comme	Lifetime Comme	Lifetime Comme	Lifetime Comme
Shaw Contract Group	Hit the Books 60504	08/19/05	Eco Solution Q	Solution & Yarn	682	SSP Shaw Soil Protect	10	-1.30	5	12ft	1/13	7,450	20.90	10.00	Teklok	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11.70	4.3	Y	3.5	3.5	0.58	199	257	pass	y	Y	Y	N	25% post-ind	N	N	N	Lifetime Comme	Lifetime Comme	Lifetime Comme	Lifetime Comme
Shaw Contract Group	Potential II 28 60407	10/18/04	Solution Q BCF Nylon	Solution	595	SSP Shaw Soil Protect	NT	-1.00	5	12 ft.	1/8	8,195	28.00	8.00	Unitary	N/A	N/A	N/A	N/A	N/A	N/A	N/A	20.80	N/A	N	NT	NT	0.48	227	227	pass	y	Y	y	N	N	N	N	10 yr	10 yr	10 yr	10 yr	
PCBS: I I A Broadloom non-latex performance backing closed cell vinyl cushion (includes woven)																																											
Collins & Aikman	Calypso 05165	10/18/04	DuPont Nylon	Solution & Yarn	1,105	Ensure	5.00	0.60	4.5	6 ft.	1/12	9,209	22.80	0.60	Powerbond Closed Cell	pass	pass	pass	19.90	18.20	0.05	N/A	13.30	pass	N	N/A	N/A	0.78	354	325	pass	Y	Y	Y	Y	N	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Colored Pencil 02443	05/19/05	Dynex	Solution	959	Ensure	8.00	-1.40	5.0	6 ft.	5/32	7,388	19.70	9.00	Powerbond Closed Cell	pass	pass	pass	19.3.	19.10	5.7	N/A	10.70	pass	N	3.0	3.5	0.49	367	446	pass	Y	Y	Y	Y	N	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Crayon 01957	10/18/04	Dynex /Dynex SD	Solution & Yarn	709	Ensure	5.00	0.50	5.0	6 ft.	1/13	7,624	18.20	0.50	Powerbond Closed Cell	pass	pass	pass	13 psi	18.40	0.06	N/A	12.60	pass	N	3.0	3.0	0.60	239	257	pass	Y	Y	Y	Y	N	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Expedition 05187	10/18/04	Dynex SD	Solution	1,118	Ensure	4.50	0.90	4.5	6 ft.	1/12	6,261	16.80	0.90	Powerbond Closed Cell	pass	pass	pass	19.90	18.2 l	0.05	N/A	10.00	pass	N	4.0	4.0	0.86	329	435	pass	Y	Y	Y	Y	N	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Epos 2653	08/09/06	Nylon 6,6	Solution	410	Ensure	10.00	0.38	5.0	6 ft.	1/12	5,307	17.10	11.50	Powerbond Closed Cell		pass	pass	19.64	18.50	2.6	N/A	10.70	pass	N	3.0	5.0	0.80	305	331	pass	Y		Y	Y	N	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Explorer 05175	10/18/04	Dynex SD	Solution	905	Ensure	4.50	0.80	4.5	6 ft.	1/13	8,129	14.40	0.80	Powerbond Closed Cell	pass	pass	pass	19.90	18.20	0.05	N/A	12.00	pass	N	3.5	3.5	0.82	423	428	pass	Y	Y	Y	Y	N	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Guardian A+ 2626	08/09/06	Nylon 6,6	Solution/Skein	411		10.00	0.25	5.0	6 ft.	1/12	6,467	19.40	9.20	Powerbond Closed Cell		pass	pass	19.64	18.50	2.6	N/A	10.10	pass	N	3.0	5.0	0.81	360	307	pass	Y		Y	Y	N	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Infinity 05849 Condensed Cushion	10/18/04	DSDN & Antron	Solution & Yarn	1,065	Ensure	4.50	0.50	5.0	6 ft.	1/13	10,588	20.00	0.50	Powerbond Closed Cell	pass	pass	pass	149.80	32.50	10% max	N/A	11.00	pass	N	N/A	N/A	0.63	339	427	pass	Y	Y	Y	Y	N	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Infinity 05849	10/18/04	DSDN & Antron	Solution & Yarn	1,062	Ensure	4.50	0.50	5.0	6 ft.	1/13	10,588	20.00	0.50	Powerbond Closed Cell	pass	pass	pass	19.90	18.10	0.04	N/A	11.00	pass	N	3.5	3.5	0.63	321	382	pass	Y	Y	Y	Y	N	N	N	N	25 yr	25 yr	25 yr	25 yr

VENDOR	PRODUCT NAME/STYLE #	CERTIFIED	Pile Fiber	Dye Method	Flouorochemical (ppm)	Soil/Stain	Stain Resistance	Electrostatic (KV)	Colorfast/light (@ 60 AFU)	Width (ft. or cm.)	Gauge/Pitch	Density	Yarn Weight (oz/sq. yd.)	Stitches per inch	Backing Material (optional) trade name / composition	Roller Chair (optional) NT = Not Tested	Dynamic Impact (optional) NT = Not Tested	British Spill (optional) NT = Not Tested	Backing comp deflection (lbs.) (only applies to cushion)	Backing Density (lbs.) (only applies to cushion)	Backing Compression Set (only applies to cushion)	Aachen (dimensional stability) (only applies to modular tile)	Tuft Bind (lbs.)	Delamination (lbs./inch)	Antimicrobial treatment (Yes or No)	Hexapod Appearance Retention	Color Change	Fire Radiant (watts/sq. cm.)	Smoke Density Flaming	Smoke Density Non-Flaming	Flammability (Pill test)	Complies to FL Bldg Code	IAQ Green Label Plus (Yes or No)	Complies to ADA Recyclable	Recycled/Reclaimed Fiber	Recycled/Reclaimed Backing	Renewable	Warranty--Delamination	Warranty--Zipping	Warranty--Edge Ravel	Warranty--Excessive Surface Wear	
PBCS: I I A (continued) Broadloom non-latex performance backing closed cell vinyl cushion (includes woven)																																										
Collins & Aikman	In Stitches 2532	08/09/06	Nylon 6,6	Solution	407	Ensure	10.00	0.25	5.0	6 ft.	1/12	5,924	18.10	8.10	Powerbond Closed Cell	pass	pass	pass	19.64	18.50	2.6	N/A	12.10	pass	N	3.5	5.0	0.79	259	330	pass	Y	Y	Y	Y	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Luminaire Two 02239 Condensed Cushion	10/18/04	Antron Lumina	Solution	992	Ensure	4.00	0.40	4.5	6 ft.	1/10	8,069	28.00	0.40	Powerbond Closed Cell	pass	pass	pass	149.80	32.50	10% max	N/A	13.70	pass	N	3.0	3.0	0.82	352	242	pass	Y	Y	Y	Y	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Luminaire Two 02239	10/18/04	Antron Lumina	Solution	1,029	Ensure	4.00	0.60	5.0	6 ft.	1/10	8,069	26.00	0.60	Powerbond Closed Cell	pass	pass	pass	19.90	18.10	0.04	N/A	17.20	pass	N	4.0	4.0	0.59	213	312	pass	Y	Y	Y	Y	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Moxie 2334	08/19/05	Dynex SD	Solution & Yarn	872	Ensure	5.00	0.20	5.0	6 ft.	1/13	6,729	18.80	0.20	Powerbond RS Vinyl Cushion	NT	pass	pass	20.30	16.90	6.6	N/A	10.50	8.2	N	3.8	4.0	0.52	334	437	pass	Y	Y	Y	Y	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Needle & Thread 2094	08/19/05	Antron Legacy	Solution	878	Ensure	10.00	-1.30	5.0	6 ft.	1/13	6,774	17.50	9.20	Powerbond RS Vinyl Cushion	NT	pass	pass	20.30	16.90	6.6	N/A	13.10	N/A	N	3.5	4.0	0.72	344	303	pass	Y	Y	Y	Y	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Quantum 02070	10/18/04	Dynex SD	Solution	896	Ensure	8.00	-1.70	5.0	6 ft.	1/13	7,608	20.50	10.60	Powerbond Closed Cell	pass	pass	pass	20.80	17.20	0.21	N/A	10.43	pass	N	3.5	3.5	0.51	250	292	pass	Y	Y	Y	Y	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Quest 02367	05/19/05	TDX	Solution	1,158	Ensure	10.00	-1.50	5.0	6 ft.	1/13	6,726	14.20	9.00	Powerbond Closed Cell	pass	pass	pass	19.30	19.1	5.7	N/A	13.00	pass	N	3.5	3.5	0.83	433	404	pass	Y	Y	Y	Y	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Saga 2666	08/09/06	Nylon 6,6	Solution	985	Ensure	10.00	0.25	5.0	6 ft.	1/10	5,367	16.40	11.00	Powerbond Closed Cell	pass	pass	pass	19.64	18.50	2.6	N/A	10.40	pass	N	3.5	5.0	0.83	365	334	pass	Y		Y	Y	N						
Collins & Aikman	Sail Away 01433	10/18/04	Dynex SD	Solution & Yarn	985	Ensure	4.00	1.70	4.5	6 ft.	1/13	6,000	14.40	1.70	Powerbond Closed Cell	pass	pass	pass	19.90	18.10	0.04	N/A	10.10	pass	N	4.0	4.0	0.63	447	441	pass	Y	Y	Y	Y	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Sentinel Two 02409	05/19/05	Antron Lumina	Solution	1,053	Ensure	8.00	-1.70		6 ft.	1/13	10,623	18.00	10.00	Powerbond Closed Cell	pass	pass	pass	19.3	19.10	5.7	N/A	11.30	pass	N	3.5	3.5	0.76	345	351	pass	Y	Y	Y	Y	N	N	N	25 yr	25 yr	25 yr	25 yr
PBCS: I I B Broadloom non-latex performance backing non-vinyl cushion (urethane, vinyl comp) (includes woven)																																										
Collins & Aikman	Crayon 01957	12/29/04	Nylon w/Anti-stat	Solution & Yarn	1,047	Ensure	8.00	-1.90	5.0	6ft	1/13	9,250	18.50	12.20	Ethos Closed Cell	pass	pass	pass	36.00	36.50	9%	N/A	12.60	pass	N	3.8	4.5	0.46	136	262	pass	Y	Y	Y	Y	N	N	N	25 yr	25 yr	25 yr	25 yr
Collins & Aikman	Explorer 05175	12/29/04	Nylon w/Anti-stat	Solution	1,230	Ensure	8.00	-1.70	5.0	6ft	1/13	8,139	15.60	9.00	Ethos Closed Cell	pass	pass	pass	36.00	36.50	9%	N/A	10.10	pass	N	3.3	4.5	0.69	163	415	pass	Y	Y	Y	Y	N	N	N	25 yr	25 yr	25 yr	25 yr
PBCS: I I I Broadloom non-latex performance backing / non-cushion (includes woven) (urethane / polyolefin / vinyl composite)																																										
Crossley	Largo 30035	10/18/04	Antron Legacy	Yarn	1,211	DuraTech	N/A	1.20	5.0	12 ft.	144	6,502	28.80	7.40	Crossweave Polypropylene	NT	NT	N/A	N/A	N/A	N/A	N/A	25.47	NT	N	n/a	n/a	0.48	196	179	pass	Y	Y	Y	N	N	N	N	Lifetime	Lifetime	Lifetime	Lifetime
Crossley	Tanagra 30105	10/18/04	Antron Legacy	Yarn	2,092	DuraTech	N/A	1.10	5.0	12 ft.	144	5,486	29.00	8.50	Crossweave Polypropylene	NT	NT	N/A	N/A	N/A	N/A	N/A	18.03	NT	N	n/a	n/a	0.58	137	119	pass	Y	Y	Y	N	N	N	N	Lifetime	Lifetime	Lifetime	Lifetime
Interface	Rain Forest 2m broadloom - 6248	10/18/04	Antron Lumina Legacy	Solution & Yarn	581	Protekt	10	-1.00	5	2m	1/12	7,635	19.30	10.00	Glasbac / vinyl	N/A	N/A	NT	N/A	N/A	N/A	N/A	9.10	pass	Y	4.0	4.0	0.67	152	223	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr
Mannington Commercial	A Sense of Place	08/19/05	Antron Legacy	Yarn	800	Duratech	10	0.25	5	12ft	1/12	5,950	20.00	11.16	Integra HP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12.50	none	Y	4.0	4-5	0.58			pass											
Mannington Commercial	Designsmith	08/19/05	Antron Legacy	Yarn	800	Duratech	8	1.10	5	12ft	5/64	6,371	20.00	12.00	Integra HP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13.00	none	Y	2.5	3-4	0.62	259		pass											
Mannington Commercial	Freetime	08/19/05	Antron Legacy	Yarn	800	Duratech	10	0.50	5	12ft	1/12	7,200	20.00	12.00	Integra HP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17.50	none	Y	2.5	3	0.57			pass											
Mannington Commercial	Keeping Pace	08/19/05	Antron Legacy	Yarn	800	Duratech	10	0.38		12ft	1/12	9,267	26.00	12.00	Integra HP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19.00	none	Y	3-4	4-5	0.78			pass											
Mannington Commercial	Scrollworks	08/19/05	Antron Legacy	Yarn	800	Duratech	10	0.50	5	12ft	1/12	8,914	26.00	12.00	Integra HP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16.20	none	Y	4.0	4-5	0.85			pass											
Mannington Commercial	Viewpoint	08/19/05	Antron Legacy	Yarn	800	Duratech	10	0.10	5	12ft	1/12	6,857	20.00	12.33	Integra HP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16.00	none	Y	2.5	3	0.71			pass											
Patcraft Commercial	Study Hall 10029	08/19/05	Ultron VIP	Solution	484	Ultron VIP	10	-1.30	5	12 ft.	1/8	7,200	27.20	9.30	Everbond EX	N/A	N/A	pass	N/A	N/A	N/A	N/A	14.00	4.7	N	3.5	3.5	0.48	174	308	pass	Y	Y	Y		N/A	N/A	N/A	Lifetime	Lifetime	Lifetime	Lifetime
Shaw Contract Group	Field Trip UMP 60580	03/02/06	Eco Solution Q	Solution & Yarn	495	SSP Shaw Soil Protect	6	-2.30	5	12ft	1/8	8,474	26.60	7.50	Ultraloc MP Polypropylene	N/A	pass	N/A	N/A	N/A	N/A	N/A	13.80	4.1	Y	3.3	4-5	0.52	95	385	pass	Y	Y	Y	N	25% Post-ind	N	N	Lifetime	Lifetime	Lifetime	Lifetime

VENDOR	PRODUCT NAME/STYLE #	CERTIFIED	Pile Fiber	Dye Method	Fluorochemical (ppm)	Soil/Stain	Stain Resistance	Electrostatic (KV)	Colorfast/light (@ 60 AFU)	Width (ft. or cm.)	Gauge/Pitch	Density	Yarn Weight (oz/sq. yd.)	Stitches per inch	Backing Material (optional) trade name / composition	Roller Chair (optional) NT = Not Tested	Dynamic Impact (optional) NT = Not Tested	British Spill (optional) NT = Not Tested	Backing comp deflection (lbs.) (only applies to cushion)	Backing Density (lbs.) (only applies to cushion)	Backing Compression Set (only applies to cushion)	Aachen (dimensional stability) (only applies to modular tile)	Tuft Bind (lbs.)	Delamination (lbs./inch)	Antimicrobial treatment (Yes or No)	Hexapod Appearance Retention	Color Change	Fire Radiant (watts/sq. cm.)	Smoke Density Flaming	Smoke Density Non-Flaming	Flammability (Pill test)	Complies to FL Bldg Code	IAQ Green Label Plus (Yes or No)	Complies to ADA Recyclable	Recycled/Reclaimed Fiber	Recycled/Reclaimed Backing	Renewable	Warranty--Delamination	Warranty--Zipping	Warranty--Edge Ravel	Warranty--Excessive Surface Wear			
PECS: III (continued) Broadloom non-latex performance backing / non-cushion (includes woven) (urethane / polyolefin / vinyl composite)																																												
Shaw Contract Group	Dean's List UMP 60340	12/30/04	Eco Solution Q	Solution	563	SSP Shaw Soil Protect	7	-1.90	4	12ft	1/10	8,722	29.80	8.50	UltralocMP Polyurethane	NT	NT	pass	N/A	N/A	N/A	N/A	18.50	4.3	Y	3.3	3.5	0.78	102	338	pass	Y	Y	Y	N	25% Post-ind	N	N	Lifetime Comme	Lifetime Comme	Lifetime Comme	Lifetime Comme		
Shaw Contract Group	Hit the Books UMP 60465	12/30/04	Eco Solution Q	Solution & Yarn	1,400	SSP Shaw Soil Protect	7	-1.30	5	12ft	1/13	8,755	21.40	10.00	UltralocMP Polyurethane	NT	NT	pass	N/A	N/A	N/A	N/A	12.20	4.0	Y	3.5	3.5	0.52	45	277	pass	Y	Y	Y	N	25% Post-ind	N	N	Lifetime Comme	Lifetime Comme	Lifetime Comme	Lifetime Comme		
Shaw Contract Group	Scholar II UMP 60552	12/30/04	Eco Solution Q	Solution	584	SSP Shaw Soil Protect	6	-1.70	5	12ft	1/10	8,797	28.10	6.80	UltralocMP Polyurethane	NT	NT	pass	N/A	N/A	N/A	N/A	19.50	3.9	Y	3.0	3.5	0.63	84	283	pass	Y	Y	Y	N	25% Post-ind	N	N	Lifetime Comme	Lifetime Comme	Lifetime Comme	Lifetime Comme		
PECS: IV Modular tile cushion backing																																												
Milliken	Road Runner Series	05/19/05	Type 6,6 Wear On Nylon	Injection yarn dyed	435	MilliGuard	10	1.50	5	36 in	1/10	7,096	20.00	10.20	Comfort Plus Polyurethane	pass	pass	pass	pass	pass	pass	0.8000%	10.00	none	N/A	3.0	4.0	0.70	250	118	Pass	Y	Y	Y	Y	N	Y	Y	Lifetime	Lifetime	Lifetime	Lifetime		
Milliken	Colorweave Series	05/19/05	Type 6,6 Wear On Nylon	Injection yarn dyed	639	MilliGuard	6	0.18	5	36 in	1/8	7,105	20.00	8.00	Comfort Plus Polyurethane	pass	pass	pass	pass	pass	pass	0.5000%	9.30	none	N/A	3.5	4-5	0.92	139	82	Pass	Y	Y	Y	Y	N	Y	Y	Lifetime	Lifetime	Lifetime	Lifetime		
Milliken	Midnight Sparkle	05/19/05	Type 6,6 Wear On Nylon	Injection yarn dyed	481	MilliGuard	7	1.25	5	36 in	1/8	6,771	23.70	8.60	Comfort Plus Polyurethane	pass	pass	pass	pass	pass	pass	1.2000%	12.21	none	N/A	3.0	3-4	0.85	236	213	Pass	Y	Y	Y	Y	N	Y	Y	Lifetime	Lifetime	Lifetime	Lifetime		
PECS: V Modular tile non-cushion backing																																												
Collins & Aikman	Audacious 2346	08/19/05	Dynex SD	Solution	678	Ensure	6.50	-1.00	5.0	18in	1/13	7,313	19.50	10.50	ER3 Vinyl	N/A	N/A	N/A	N/A	N/A	N/A	-0.081%	12.50	6.6	N	3.5	4.0	0.49	146	345	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Collins & Aikman	Colored Pencil 2443	08/19/05	Dynex SD	Solution & Yarn	990	Ensure	6.00	-1.30	5.0	18in	1/13	7,520	18.80	9.30	ER3 Vinyl	N/A	N/A	N/A	N/A	N/A	N/A	-0.081%	11.20	7.1	N	3.5	4.0	0.46	218	445	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Collins & Aikman	Crayon 1957	08/19/05	Dynex SD	Solution & Yarn	950	Ensure	7.00	-1.60	5.0	18in	1/13	7,200	18.60	8.50	ER3 Vinyl	N/A	N/A	N/A	N/A	N/A	N/A	-0.106%	9.70	8.0	N	4.0	4.0	0.45	136	289	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Collins & Aikman	Dashing 2374	08/19/05	Dynex SD	Solution & Yarn	739	Ensure	7.50	-1.30	5.0	18in	1/13	8,892	20.50	10.50	ER3 Vinyl	N/A	N/A	N/A	N/A	N/A	N/A	-0.133%	10.30	6.7	N	3.5	4.0	0.48	203	299	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Collins & Aikman	Epos 2653	08/09/06	Nylon 6,6	Solution	593	Ensure	10.00	0.25	5.0	18in	1/12	5,894	16.70	11.60	ER3 Vinyl	N/A	N/A	N/A	N/A	N/A	N/A	-5.300%	8.20	pass	N	3.0	5.0	0.61	189	381	pass	Y		Y										
Collins & Aikman	Guardian A+ 2626	08/09/06	Nylon 6,6	Solution/Skein	830	Ensure	10.00	0.38	5.0	18in	1/12	6,915	19.40	8.70	ER3 Vinyl	N/A	N/A	N/A	N/A	N/A	N/A	-0.029%	11.40	pass	N	3.0	5.0	0.88	151	368	pass	Y		Y										
Collins & Aikman	Infinity 05849	10/18/04	DSDN & Antron	Solution & Yarn	1,024	Ensure	4.50	1.00	5.0	18in	1/13	10,588	26.00	9.50	ER3 Vinyl	pass	pass	pass	206.00	N/A	N/A	0.003%	11.00	none	N	N/A	N/A	0.63	234		pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Collins & Aikman	In Stitches 2532	08/09/06	Nylon 6,6	Solution/Yarn	430	Ensure	10.00	0.25	5.0	18in	1/12	6,416	18.00	8.20	ER3 Vinyl	N/A	N/A	N/A	N/A	N/A	N/A	-0.015%	10.70	pass	N	3.0	5.0	0.55	190	406	pass	Y		Y										
Collins & Aikman	Luminaire Two 02239	10/18/04	Antron Lumina	Solution	1,061	Ensure	4.00	0.60	5.0	18in	1/10	8,069	27.00	11.40	ER3 Vinyl	pass	pass	pass	206.00	N/A	N/A	0.030%	11.10	none	N	N/A	N/A	0.87	255	365	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Collins & Aikman	Moxie 2334	08/19/05	Dynex SD	Solution	653	Ensure	7.00	-1.00	5.0	18in	1/13	7,880	19.70	10.60	ER3 Vinyl	N/A	N/A	N/A	N/A	N/A	N/A	-0.042%	10.50	6.3	N	3.3	4.5	0.63	178	449	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Collins & Aikman	Needle & Thread 2094	08/19/05	Antron Legacy	Solution & Yarn	828	Ensure	10.00	-1.60	5.0	18in	1/13	7,867	17.70	9.50	ER3 Vinyl	pass	pass	pass	N/A	N/A	N/A	-0.860%	11.10	6.0	N	4.0	4.5	0.77	207	446	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Collins & Aikman	Saga 2666	08/09/06	Nylon 6,6	Solution/Skein	720	Ensure	10.00	0.38	5.0	18in	1/12	5,964	16.40	11.30	ER3 Vinyl	N/A	N/A	N/A	N/A	N/A	N/A	-0.026%	8.70	pass	N	3.0	5.0	0.84	166	378	pass	Y		Y										
Collins & Aikman	Sentinel II 2409	08/19/05	Antron Lumina	Solution	685	Ensure	10.00	-1.50	5.0	18in	1/13	9,000	18.50	9.60	ER3 Vinyl	N/A	N/A	NT	N/A	N/A	N/A	0.039%	11.90	8.6	N	3.5	4.5	0.71	219	411	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Designweave	Exhilaration Z6406	08/19/05	Eco Solution Q	Solution & Yarn	465	Design-weave SP	10	-1.30	5	24in	1/10	7,785	25.30	10.00	Ecoworx	N/A	N/A	NT	N/A	N/A	N/A	-0.0050%	13.00	10.3	Y	3.0	3.5	0.70	128	255	pass	Y	Y	Y	Y	N	25% Post-ind	40% Post-ind	lifetime	lifetime	lifetime	lifetime		
Designweave	Indulgence Z6374	08/19/05	Eco Solution Q	Solution	518	Design-weave SP	9	1.30	5	24in	1/10	6,785	24.50	9.20	Ecoworx	N/A	N/A	NT	N/A	N/A	N/A	-0.2000%	13.20	none	Y	4.0	5.0	0.71	131	273	pass	Y	Y	Y	Y	N	25% Post-ind	40% Post-ind	lifetime	lifetime	lifetime	lifetime		
Designweave	Splurge Z6373	08/19/05	Eco Solution Q	Solution	515	Design-weave SP	10	2.13	5	18in	1/10	8,142	24.20	9.70	Ecoworx	N/A	N/A	NT	N/A	N/A	N/A	0.0210%	12.20	none	N	4.0	4.5	0.72	141	275	pass	Y	Y	Y	Y	N	25% Post-ind	40% Post-ind	lifetime	lifetime	lifetime	lifetime		
Interface	ABC's 3808 / 123's 3809	08/19/05	Aquafil Strutturata	Solution	856	Protekt	10	-0.63	5	50cm	1/12	5,661	22.80	10.00	Glasbac / vinyl	N/A	N/A	NT	N/A	N/A	N/A	-0.0790%	8.34	none	Y	4.0	4.5	0.63	168	435	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Interface	Cubic Glasbac Tile - 3801	10/18/04	Aquafil	Solution	627	Protekt	10	-0.63	5	50cm	1/12	5,968	18.90	7.78	Glasbac / vinyl	N/A	N/A	NT	N/A	N/A	N/A	0.0460%	10.30	none	Y	3.0	3.3	0.96	167	222	pass	Y	Y	y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Interface	Entropy 6602	08/19/05	Blue Chip	Solution	1,980	Protekt	10	-0.63	5	50cm	1/12	6,052	19.50	13.10	Glasbac / vinyl	N/A	N/A	NT	N/A	N/A	N/A	-0.0790%	8.40	none	Y	4.0	4.5	0.88	207	370	pass	Y	Y	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr
Interface	Equal Space Glasbac Tile - 6351	10/18/04	Invista 6,6	Solution & Yarn	1,030	Protekt	9	-0.75	4	50cm	1/10	5,355	18.00	8.60	Glasbac / vinyl	N/A	N/A	NT	N/A	N/A	N/A	0.0360%	11.10	none	Y	3.3	4.0	0.74	134	235	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Interface	Gradient 6705	08/19/05	Invista 6,6	Solution & Yarn	790	Protekt	9	-1.25	5	50cm	1/10	6,720	16.80	8.00	Glasbac / vinyl	N/A	N/A	NT	N/A	N/A	N/A	-0.0300%	9.30	none	Y	3.0	3.5	0.72	172	250	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Interface	Grill Works 3802	08/19/05	Aquafil Strutturata	Solution	1,850	Protekt	10	-0.63	5	50cm	1/12	6,058	17.50	8.20	Glasbac / vinyl	N/A	N/A	NT	N/A	N/A	N/A	-0.5600%	8.40	none	Y	4.0	4.5	0.60	218	393	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Interface	Spaced Out Glasbac Tile - 6350	10/18/04	Invista 6,6	Solution & Yarn	734	Protekt	9	-0.75	5	50cm	1/10	5,445	18.00	8.70	Glasbac / vinyl	N/A	N/A	NT	N/A	N/A	N/A	0.0400%	10.10	none	Y	3.5	4.0	0.92	163	237	pass	Y	Y	Y	Y	N	Y	N	15 yr	15 yr	15 yr	15 yr		
Milliken	Explore' Series	05/19/05	Type 6,6 Wear On Nylon	Injection yarn dyed	735	MilliGuard	7	2.50	5	36 in	1/10	6,212	20.00	9.90	Underscore Polyurethane	pass	pass	pass	pass	pass	pass	-1.6200%	10.70	none	Y	N/A	3.0	0.46	277	266	pass	y	Y	y	y	N	N	N	Lifetime	Lifetime	Lifetime	Lifetime		

VENDOR	PRODUCT NAME/STYLE #	CERTIFIED	Pile Fiber	Dye Method	Flouorochemical (ppm)	Soil/Stain	Stain Resistance	Electrostatic (KV)	Colorfast/light (@ 60 AFU)	Width (ft. or cm.)	Gauge/Pitch	Density	Yarn Weight (oz/sq. yd.)	Stitches per inch	Backing Material (optional) trade name / composition	Roller Chair (optional) NT = Not Tested	Dynamic Impact (optional) NT = Not Tested	British Spill (optional) NT = Not Tested	Backing comp deflection (lbs.) (only applies to cushion)	Backing Density (lbs.) (only applies to cushion)	Backing Compression Set (only applies to cushion)	Aachen (dimensional stability) (only applies to modular tile)	Tuft Bind (lbs.)	Delamination (lbs./finch)	Antimicrobial treatment (Yes or No)	Hexapod Appearance Retention	Color Change	Fire Radiant (watts/sq. cm.)	Smoke Density Flaming	Smoke Density Non-Flaming	Flammability (Pill test)	Complies to FL Bldg Code	IAQ Green Label Plus (Yes or No)	Complies to ADA Recyclable	Recycled/Reclaimed Fiber	Recycled/Reclaimed Backing	Renewable	Warranty--Delamination	Warranty--Zipping	Warranty--Edge Ravel	Warranty--Excessive Surface Wear	
PBCS: V (cushion) Modular tile non-cushion backing																																										
Patcraft Commercial	Color Your World I0110	05/11/06	Nylon	Solution	403	Eco Solution Q	9	-2.40	5	24 in	1/10	15,671	22.20	11.00	EcoWorx	N/A	N/A	N/A	N/A	N/A	N/A	0.0250%	9.00	none	N	3.7	4.0	0.62	133	190	pass	y	Y	y					Lifetime	Lifetime	Lifetime	Lifetime
Patcraft Commercial	Dazzle I0119	05/11/06	Nylon	Solution	403	Eco Solution Q	10	-3.40	5	24 in	1/12	7,579	20.00	10.70	EcoWorx	N/A	N/A	N/A	N/A	N/A	N/A	1.1000%	9.30	none	N	3.0	4.0	0.50	157	121	pass	y	Y	y					Lifetime	Lifetime	Lifetime	Lifetime
Patcraft Commercial	Pinstripe 10105	08/19/05	Eco Solution Q SD	Solution	630	Patcraft SP Eco Solution Q	10	-0.90	5	24 in	1/10	8,184	24.10	10.00	EcoWorx	N/A	N/A	N/A	N/A	N/A	N/A	0.0104%	11.10	none	Y	3.5	4-5	0.47	129	108	pass	y	Y	y	Y	25% Post-ind	40% Post-ind	N/A	Lifetime	Lifetime	Lifetime	Lifetime
Patcraft Commercial	Razzle I0118	05/11/06	Nylon	Solution	420	Eco Solution Q	10	-3.40	5	24 in	1/8	6,984	19.40	10.30	EcoWorx	N/A	N/A	N/A	N/A	N/A	N/A	-0.0470%	10.30	none	N	3.0	4.0	0.65	159	161	pass	y	Y	y					Lifetime	Lifetime	Lifetime	Lifetime
Patcraft Commercial	Tweed 10096	05/19/05	Eco Solution Q SD	Solution	811	Patcraft SP Eco Solution Q	10	-1.10	5	24 in	1/10	5,719	19.70	10.30	EcoWorx	N/A	N/A	N/A	N/A	N/A	N/A	0.0000%	12.70	none	Y	3.0	4.0	0.52	144	123	pass	y	Y	y	Y	25% Post-ind	40% Post-ind	N/A	Lifetime	Lifetime	Lifetime	Lifetime
Shaw Contract Group	Constellation 59326	12/30/04	Eco Solution Q	Solution & Yarn	515	SSP Shaw Soil Protect	8	-1.60	5	24in	1/10	10,888	24.80	10.00	Ecoworx Thermoplastic Polyolefin	N/A	NT	NT	N/A	N/A	N/A	0.0015%	14.00	none	Y	3.0	3.5	0.80	135	227	pass	Y	Y	Y	Y	25% Post-ind	40% Post-ind	N	Lifetime Commercial	Lifetime Commercial	Lifetime Commercial	Lifetime Commercial
Shaw Contract Group	Kinetic 59359	12/30/04	Eco Solution Q	Solution & Space	668	SSP Shaw Soil Protect	6	-1.50	5	24in	3/32	7,284	17.40	9.40	Ecoworx Thermoplastic Polyolefin	N/A	NT	NT	N/A	N/A	N/A	0.0050%	13.00	none	Y	3.0	3.0	0.58	122	340	pass	Y	Y	Y	Y	25% Post-ind	40% Post-ind	N	Lifetime Commercial	Lifetime Commercial	Lifetime Commercial	Lifetime Commercial
Shaw Contract Group	Color Play 59358	12/30/04	Eco Solution Q	Solution & Yarn	668	SSP Shaw Soil Protect	6	-1.50	5	24in	3/32	7,284	17.40	9.40	Ecoworx Thermoplastic Polyolefin	N/A	NT	NT	N/A	N/A	N/A	0.0050%	13.00	none	Y	3.0	3.0	0.58	122	340	pass	Y	Y	Y	Y	25% Post-ind	40% Post-ind	N	Lifetime Commercial	Lifetime Commercial	Lifetime Commercial	Lifetime Commercial
Shaw Contract Group	Simply Done 59381	12/30/04	Eco Solution Q	Solution	450	SSP Shaw Soil Protect	10	-0.80	5	24in	1/10	5,541	15.70	10.00	Ecoworx Thermoplastic Polyolefin	N/A	NT	NT	N/A	N/A	N/A	0.0795%	13.20	none	Y	3.0	3.5	0.67	163	172	pass	Y	Y	Y	Y	25% Post-ind	40% Post-ind	N	Lifetime Commercial	Lifetime Commercial	Lifetime Commercial	Lifetime Commercial
Shaw Contract Group	Nothing To It 59383	12/30/04	Eco Solution Q	Solution	450	SSP Shaw Soil Protect	10	-0.80	5	24in	1/10	5,541	15.70	10.00	Ecoworx Thermoplastic Polyolefin	N/A	NT	NT	N/A	N/A	N/A	0.0795%	13.20	none	Y	3.0	3.5	0.67	163	172	pass	Y	Y	Y	Y	25% Post-ind	40% Post-ind	N	Lifetime Commercial	Lifetime Commercial	Lifetime Commercial	Lifetime Commercial